

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1724	(send\$ transmi\$5) adj5 (configuration near2 (file data code script language \$2ML))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/18 08:41
L3	130	(server host administrator manager) adj3 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/18 09:00
L4	0	3 near15 (((e electronic) adj (mail message)) email e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/18 09:03
L5	0	3 with (((e electronic) adj (mail message)) email e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/18 09:02
L6	1	3 same (((e electronic) adj (mail message)) email e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/18 09:02
L7	41	2 same (((e electronic) adj (mail message)) email e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/18 09:02
L8	26	2 with (((e electronic) adj (mail message)) email e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/18 09:03
L9	26	2 near15 (((e electronic) adj (mail message)) email e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/18 09:03
L10	25	7 and (@ad<"20010626" @riad<"20010626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/18 09:38
L11	4	((("6488798") or ("6751562")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/18 09:38
S1	2939	(709/223).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/18 08:34
S2	3177	(709/224).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/21 13:09

S3	1382	(709/220).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/21 13:09
S4	2049	((709/223).CCLS.) and (@ad<"20010626" @riad<"20010626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/18 09:03
S5	2354	((709/224).CCLS.) and (@ad<"20010626" @riad<"20010626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:10
S6	991	((709/220).CCLS.) and (@ad<"20010626" @riad<"20010626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:10
S7	10350	(communicat\$ send\$3transmi\$ tranfer\$ deliver\$) near5 (configur\$ near3 (file content data information script code applet object))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:26
S8	36980	configur\$3 near device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:35
S9	685	((communicat\$ send\$3transmi\$ tranfer\$ deliver\$) near5 (configur\$ near3 (file content data information script code applet object))) same (configur\$3 near device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:26
S10	565	((communicat\$ send\$3transmi\$ tranfer\$ deliver\$) near5 (configur\$ near3 (file content data information script code applet object))) with (configur\$3 near device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:26
S11	3	((communicat\$ send\$3transmi\$ tranfer\$ deliver\$) near5 (configur\$ near3 (file content data information script code applet object))) with (configur\$3 near device) same markup	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:27
S12	2	((communicat\$ send\$3transmi\$ tranfer\$ deliver\$) near5 (configur\$ near3 (file content data information script code applet object))) with (configur\$3 near device) same markup and (@ad<"20010626" @riad<"20010626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:39
S13	49	configu\$4 with (network near3 (device appliance equipment node terminal sworkstation)) same XML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:30
S14	17	(configu\$4 with (network near3 (device appliance equipment node terminal sworkstation)) same XML) and (@ad<"20010626" @riad<"20010626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:34

S15	3265	(access\$ retriev\$3 load\$3 obtain\$3) near5 (configur\$ near2 (file code script))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:35
S16	89677	configur\$3 near3 (appliance device computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:36
S17	13164	((communicat\$ send\$3transmi\$ tranfer\$ deliver\$) near5 (configur\$ near3 (file content data information script code applet object))) ((access\$ retriev\$3 load\$3 obtain\$3) near5 (configur\$ near2 (file code script)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:36
S18	1618	((((communicat\$ send\$3transmi\$ tranfer\$ deliver\$) near5 (configur\$ near3 (file content data information script code applet object))) ((access\$ retriev\$3 load\$3 obtain\$3) near5 (configur\$ near2 (file code script)))) with (configur\$3 near3 (appliance device computer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:36
S19	187	(((((communicat\$ send\$3transmi\$ tranfer\$ deliver\$) near5 (configur\$ near3 (file content data information script code applet object))) ((access\$ retriev\$3 load\$3 obtain\$3) near5 (configur\$ near2 (file code script)))) with (configur\$3 near3 (appliance device computer)))) and appliance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:37
S20	37	(((((communicat\$ send\$3transmi\$ tranfer\$ deliver\$) near5 (configur\$ near3 (file content data information script code applet object))) ((access\$ retriev\$3 load\$3 obtain\$3) near5 (configur\$ near2 (file code script)))) with (configur\$3 near3 (appliance device computer)))) and appliance) and (ML markup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:38
S21	29	(((((communicat\$ send\$3transmi\$ tranfer\$ deliver\$) near5 (configur\$ near3 (file content data information script code applet object))) ((access\$ retriev\$3 load\$3 obtain\$3) near5 (configur\$ near2 (file code script)))) with (configur\$3 near3 (appliance device computer)))) same appliance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:37
S22	0	(((((communicat\$ send\$3transmi\$ tranfer\$ deliver\$) near5 (configur\$ near3 (file content data information script code applet object))) ((access\$ retriev\$3 load\$3 obtain\$3) near5 (configur\$ near2 (file code script)))) with (configur\$3 near3 (appliance device computer)))) same appliance) same (ML markup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:38
S23	4	(((((communicat\$ send\$3transmi\$ tranfer\$ deliver\$) near5 (configur\$ near3 (file content data information script code applet object))) ((access\$ retriev\$3 load\$3 obtain\$3) near5 (configur\$ near2 (file code script)))) with (configur\$3 near3 (appliance device computer)))) same appliance) and (ML markup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:38
S24	2	(((((communicat\$ send\$3transmi\$ tranfer\$ deliver\$) near5 (configur\$ near3 (file content data information script code applet object))) ((access\$ retriev\$3 load\$3 obtain\$3) near5 (configur\$ near2 (file code script)))) with (configur\$3 near3 (appliance device computer)))) same appliance) and (ML markup)) and (@ad<"20010626" @rlad<"20010626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:41
S25	15	(((((communicat\$ send\$3transmi\$ tranfer\$ deliver\$) near5 (configur\$ near3 (file content data information script code applet object))) ((access\$ retriev\$3 load\$3 obtain\$3) near5 (configur\$ near2 (file code script)))) with (configur\$3 near3 (appliance device computer)))) same appliance) and (@ad<"20010626" @rlad<"20010626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:09
S26	78	humpleman.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:47

S27	24	humpleman.in. and configur\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:56
S28	63	\$wanit.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:08
S29	3420	self near3 configur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:13
S30	16	((communicat\$ send\$3transmi\$ tranfer\$ deliver\$) near5 (configur\$ near3 (file content data information script code applet object))) ((access\$ retriev\$3 load\$3 obtain\$3) near5 (configur\$ near2 (file code script)))) same (self near3 configur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:09
S31	9	((communicat\$ send\$3transmi\$ tranfer\$ deliver\$) near5 (configur\$ near3 (file content data information script code applet object))) ((access\$ retriev\$3 load\$3 obtain\$3) near5 (configur\$ near2 (file code script)))) same (self near3 configur\$3)) and (@ad<"20010626" @rlad<"20010626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:14
S32	11875	retriev\$ near3 instruct\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:13
S33	43	(self near3 configur\$3) with ((client appliance node) near3 configur\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:15
S34	25	((self near3 configur\$3) with ((client appliance node) near3 configur\$)) and (@ad<"20010626" @rlad<"20010626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:15
S35	5	(retriev\$ near3 instruct\$) with ((client appliance node) near3 configur\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:15
S36	4	((retriev\$ near3 instruct\$) with ((client appliance node) near3 configur\$)) and (@ad<"20010626" @rlad<"20010626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:15
S37	1803179	configur\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:23
S38	406799	configur\$ with (network device appliance workstation terminal computer PC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:24
S39	51444	(configur\$ with (network device appliance workstation terminal computer PC)) same (markup \$2ML script object code language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:27

S40	33352	(configur\$ with (network device appliance workstation terminal computer PC)) with (markup \$2ML script object code language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:26
S41	24756	((configur\$ with (network device appliance workstation terminal computer PC)) with (markup \$2ML script object code language)) and (@ad<"20010626" @rlad<"20010626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:31
S42	25820	(configur\$ with (network device appliance workstation terminal computer PC)) same (markup \$2ML script code language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:27
S43	14677	(configur\$ with (network device appliance workstation terminal computer PC)) with (markup \$2ML script code language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:28
S44	1390	((configur\$ with (network device appliance workstation terminal computer PC)) with (markup \$2ML script code language)) same (encrypt\$3 decrypt\$3 encod\$3 decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:29
S45	547	((configur\$ with (network device appliance workstation terminal computer PC)) with (markup \$2ML script code language)) same (encrypt\$3 decrypt\$3 encod\$3 decod\$3)) same (validat\$3 authenticat\$3 sign\$3 log\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:36
S46	408	((configur\$ with (network device appliance workstation terminal computer PC)) with (markup \$2ML script code language)) same (encrypt\$3 decrypt\$3 encod\$3 decod\$3)) same (validat\$3 authenticat\$3 sign\$3 log\$3)) and (@ad<"20010626" @rlad<"20010626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:32
S47	3	((configur\$ with (network device appliance workstation terminal computer PC)) with (markup \$2ML script code language)) same (encrypt\$3 decrypt\$3 encod\$3 decod\$3)) same (validat\$3 authenticat\$3 sign\$3 log\$3)) same ((e electronic) adj (mail message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:35
S48	60	((configur\$ with (network device appliance workstation terminal computer PC)) with (markup \$2ML script code language)) same (encrypt\$3 decrypt\$3 encod\$3 decod\$3)) same (validat\$3 authenticat\$3 sign\$3 log\$3)) and ((e electronic) adj (mail message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:36
S49	3	((configur\$ with (network device appliance workstation terminal computer PC)) with (markup \$2ML script code language)) same (encrypt\$3 decrypt\$3 encod\$3 decod\$3)) same (validat\$3 authenticat\$3 sign\$3 log\$3)) same ((e electronic) adj (mail message))) and (@ad<"20010626" @rlad<"20010626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:36
S50	40	((configur\$ with (network device appliance workstation terminal computer PC)) with (markup \$2ML script code language)) same (encrypt\$3 decrypt\$3 encod\$3 decod\$3)) same (validat\$3 authenticat\$3 sign\$3 log\$3)) and ((e electronic) adj (mail message))) and (@ad<"20010626" @rlad<"20010626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:37
S51	68	((configur\$ with (network device appliance workstation terminal computer PC)) with (markup \$2ML script code language)) same (encrypt\$3 decrypt\$3 encod\$3 decod\$3)) same (validat\$3 authenticat\$3 sign\$3 log\$3)) and (\$2ML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:38

S52	54	((((configur\$ with (network device appliance workstation terminal computer PC)) with (markup \$2ML script code language)) same (encrypt\$3 decrypt\$3 encod\$3 decod\$3)) same (validat\$3 authenticat\$3 sign\$3 log\$3)) and (\$2ML)) and (@ad<"20010626" @rlad<"20010626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:38
S53	19	((((configur\$ with (network device appliance workstation terminal computer PC)) with (markup \$2ML script code language)) same (encrypt\$3 decrypt\$3 encod\$3 decod\$3)) same (validat\$3 authenticat\$3 sign\$3 log\$3)) and ((e electronic) adj (mail message))) and (@ad<"20010626" @rlad<"20010626")) and (((configur\$ with (network device appliance workstation terminal computer PC)) with (markup \$2ML script code language)) same (encrypt\$3 decrypt\$3 encod\$3 decod\$3)) same (validat\$3 authenticat\$3 sign\$3 log\$3)) and (\$2ML)) and (@ad<"20010626" @rlad<"20010626"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 17:38
S54	507	email near3 configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 17:37
S55	118	(email near3 configur\$5) and XML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 17:37
S56	0	((email near3 configur\$5) and XML) and (@ad<"062601" @rlad<"062601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 17:38
S57	0	(email near3 configur\$5) and (@ad<"062601" @rlad<"062601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 17:38
S58	51	((email near3 configur\$5) and XML) and (@ad<"20010626" @rlad<"20010626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 17:48
S59	476	(((send\$3 tranmit\$3) near3 (file script code object language)) with configur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 17:55
S60	338	(((send\$3 tranmit\$3) near3 (file script code object language)) with configur\$3)) and (@ad<"20010626" @rlad<"20010626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 17:49
S61	18	((E electronic) adj (mail message)) with (((send\$3 tranmit\$3) near3 (file script code object language)) with configur\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 18:10
S62	10	(((E electronic) adj (mail message)) with (((send\$3 tranmit\$3) near3 (file script code object language)) with configur\$3))) and (@ad<"20010626" @rlad<"20010626")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 17:55

S63	338	(((((send\$3 transmit\$3) near3 (file script code object language)) with configur\$3)) and (@ad<"20010626" @rlad<"20010626"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 18:04
S64	160	((send\$3 transmit\$3) adj3 (configuration near3 (file script code object language)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 18:10
S65	124	(((((send\$3 transmit\$3) adj3 (configuration near3 (file script code object language)))) and (@ad<"20010626" @rlad<"20010626"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 08:59
S66	1	((E electronic) adj (mail message)) same (((send\$3 transmit\$3) adj3 (configuration near3 (file script code object language))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 08:33
S67	1	((E electronic) adj (mail message)) same (((send\$3 transmit\$3) adj3 (configuration near3 (file script code object language))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 08:34
S68	65077	(e electronic) adj (mail message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 09:00
S69	542	((e electronic) adj (mail message)) same ((attach\$4 embed\$4) near3 (object code script markup \$2ML))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 09:02
S70	150	((((e electronic) adj (mail message)) same ((attach\$4 embed\$4) near3 (object code script markup \$2ML)))) same (configur\$3 set\$4 updat\$3 modify\$3 alter\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 09:04
S71	101	(((((e electronic) adj (mail message)) same ((attach\$4 embed\$4) near3 (object code script markup \$2ML)))) same (configur\$3 set\$4 updat\$3 modify\$3 alter\$4)) and (@ad<"20010626" @rlad<"20010626"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 09:10
S72	6536	(configur\$3 alter\$3 updat\$3 modify\$3) with ((markup adj language) \$2ML XML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 09:11
S73	19	(((((e electronic) adj (mail message)) same ((attach\$4 embed\$4) near3 (object code script markup \$2ML)))) same (configur\$3 set\$4 updat\$3 modify\$3 alter\$4)) and (@ad<"20010626" @rlad<"20010626")) and ((configur\$3 alter\$3 updat\$3 modify\$3) with ((markup adj language) \$2ML XML))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 09:11